In the Drawings

Please add the enclosed sheet containing FIG. 6 to the drawings.

In the Specification

Please insert the following paragraph after the paragraph at page 5, lines 22-24:

of the portable armrest, having a pair of opposing straps for selective attachment to an arm of a chair.

Please replace the paragraph bridging pages 10 and 11 with the following substitute paragraph:

portable armrest 10, having a pair of brackets 18, as in the first embodiment, but also having a strap assembly 28, having a strap 20 attached in proximity to one of the lateral sides 16S of the pad 16, and a strip 22 of fastening material attached in proximity to the other lateral side 16S of the pad 16. The strap 20 has an attached strip 22 of fastening material. In such an embodiment, the portable armrest 10 is selectively attached to the arm 12 of the chair 14 by the brackets 18, as in the first embodiment, but is also anchored to the arm 12 by wrapping the strap 20 around the lower surface 12L of the arm 12 and mating the strip 22 of fastening material on the strap 20 with the strip 22 of fastening material attached in proximity to one of the lateral sides 16S of the pad 16. In this embodiment, the

lips 24 of the brackets 18 and the strap assembly 28 act together to keep the portable armrest 10 in place. In yet another embodiment, as shown in FIG 6, the portable armrest 10 has a pair of opposing straps 20, wherein each of the straps 20 is attached in proximity to a different one of the lateral sides 16S of the pad 16, and wherein each strap 20 has an attached strip 22 of fastening material. In such an embodiment, the portable armrest 10 is selectively attached to the arm 12 of the chair 14, by use of the brackets 18 as described above, and additionally by wrapping the opposing straps 20 around the lower surface 12L of the arm 12 and mating the straps by mating the strip 22 of fastening material on one of the straps with the opposing strip of fastening material on the other strap.